

# Investigation of low-lying dipole responses in the 'island of inversion'

*Tuesday, 18 August 2020 17:00 (15 minutes)*

**Abstract:** The enhancement of the low-lying E1 (electric dipole) strength above the one-nucleon emission threshold is known to be a unique feature of halo nuclei and is often studied via Coulomb breakup reactions. The low-lying E1 strengths has been studied very well both theoretically and experimentally for the lighter nuclei such as  $^6\text{He}$ ,  $^{11}\text{Li}$ ,  $^{11}\text{Be}$ ,  $^{15}\text{C}$ , and  $^{19}\text{C}$  [1]. Due to advancements in the Radioactive-ion beam (RIB) facilities, these studies have been recently extended to the medium-mass nuclei lying in the island of inversion. In view of these recent developments, we have studied the E1 responses for  $^{31}\text{Ne}$ ,  $^{34}\text{Na}$ , and  $^{37}\text{Mg}$  using a simple analytic model and finite-range distorted-wave Born approximation theory of the Coulomb dissociation [2]. We will report our recent results for the E1 response of these weakly-bound systems and their scaling phenomenon with parameters such as the binding energy and deformation [2]. Along with this, we will also briefly discuss our new results for speculated moderate halo  $^{29}\text{Ne}$  [3].

**References:**

1. T. Aumann, Eur. Phys. J. A 55 (2019) 234.
2. Manju, Jagjit Singh, Shubhchintak, and R. Chatterjee, Eur. Phys. J. A 55 (2019) 5.
3. Manju, M. Dan, G. Singh, Jagjit Singh, Shubhchintak, and R. Chatterjee, under review.

## Field of your work

Theoretical nuclear physics

**Primary authors:** Dr ., Manju (Indian Institute of Technology Roorkee); Dr SINGH, Jagjit (Research Center for Nuclear Physics (RCNP), Osaka University); Dr ., Shubhchintak (Physique Nucléaire Théorique et Physique Mathématique Université Libre de Bruxelles); Prof. CHATTERJEE, Rajdeep (Indian Institute of Technology Roorkee)

**Presenter:** Dr ., Manju (Indian Institute of Technology Roorkee)

**Session Classification:** Young Scientist Session 2